ELSEVIER

Analytica Chimica Acta 289 (1994) 385–388

ANALYTICA CHIMICA ACTA

AUTHOR INDEX

Aebersold, B., see Eugster, R. 1
Ahmed, M.E., see Ahmed, Z.A. 329
Ahmed, Z.A.
—, Ahmed, M.E., Ibrahim, M.S., Kamal, M.M. and Temerk, Y.M.
Adsorption and association of 6-thiopurine and 6-thiopurine riboside at charged interfaces 329
Amez del Pozo, J.
—, Costa-García, A. and Tuñón-Blanco, P.
Novel mercury-coated carbon fibre voltammetric detector for use in adsorptive stripping flow analysis 169
Anzai, J.-i., see Hoshi, T. 321
Atkinson, G., see Inerowicz, H.D. 249

Bandow, H., see Zeng, Y. 195
Bell, S.E., see Davis, D.M. 263
Bianco, P., see Haladjian, J. 15
Bishop, P.L., see Ma, Y.L. 21
Branica, M., see Zelić, M. 299
Brinkman, U.A.Th., see De Boer, J. 261
Bruschi, M., see Haladjian, J. 15

Cabalín, L.M., see Laserna, J.J. 113
Calvo, N., see Laserna, J.J. 113
Cammann, K., see Wortberg, M. 177
Capitán-Vallvey, L.F.
—, Valencia, M.C. and Mirón, G.
Flow-injection method for the determination of tin in fruit juices using solid-phase spectrophotometry 365
Cardoso, S.V., see De Barros Alcanfôr, S.K. 273
Chandrasekhar, T.M., see Inerowicz, H.D. 249
Chen, J., see Zhao, X. 163
Chen, K., see Yao, S. 47
Cleven, R.
— and Fokkert, L.
Potentiometric stripping analysis of thallium in natural waters 215
Coche-Guérente, L.
—, Deronzier, A., Mailley, P. and Moutet, J.-C.
Electrochemical immobilization of glucose oxidase in poly(amphiphilic pyrrole) films and its application to the preparation of an amperometric glucose sensor 143
Costa-García, A., see Amez del Pozo, J. 169
Csapó, J.
—, Csapó-Kiss, Z., Folestad, S. and Tivesten, A.
Mercaptoethanesulphonic acid as a protecting and hydrolysing agent for the determination of the amino acid composition of proteins using an elevated temperature for protein hydrolysis 105
Csapó-Kiss, Z., see Csapó, J. 105

Dasgupta, P.K., see Liu, H. 347
Davis, D.M.
—, Harden, C.S., Shoff, D.B., Bell, S.E., Eiceman, G.A. and Ewing, R.G.
Analysis of ion mobility spectra for mixed vapors using Gaussian deconvolution 263
De Barros Alcanfôr, S.K.
—, Cardoso, S.V. and De Lima, C.G.
Fluorimetric studies of some quinones and quinonoid compounds after reduction reaction 273
De Boer, J.
— and Brinkman, U.A.Th.
TCDD equivalents of mono-*ortho* substituted chlorobiphenyls. Influence of analytical error and uncertainty of toxic equivalency factors 261
De Lima, C.G., see De Barros Alcanfôr, S.K. 273
Deronzier, A., see Coche-Guérente, L. 143

Eiceman, G.A., see Davis, D.M. 263
Engström, S., see Razumas, V. 155
Eugster, R.
—, Rosatzin, T., Rusterholz, B., Aebersold, B., Pedrazza, U., Rüegg, D., Schmid, A., Spichiger, U.E. and Simon, W.
Plasticizers for liquid polymeric membranes of ion-selective chemical sensors 1
Ewing, R.G., see Davis, D.M. 263

Fokkert, L., see Cleven, R. 215
Folestad, S., see Csapó, J. 105
Fukushima, M.
—, Taga, M. and Nakamura, H.
Interaction between humic acids and copper(II) oxinate 223

Galal, A., see Ma, Y.L. 21
Gao, Z., see Zhao, X. 163

Geng, Q., see He, F. 313
Georgiou, C.A., see Sideris, E.E. 87
Grasserbauer, M., see Lendl, B. 187
Gupta, A.R.L., see Murthy, A.S.N. 43

Hahn, M.
—, Liebau, A., Rüttinger, H.H. and Thamm, R.
Electrochemical investigation of chloramine T 35
Haladjian, J.
—, Bianco, P., Nunzi, F. and Bruschi, M.
A permselective-membrane electrode for the electrochemical study of redox proteins. Application to cytochrome c_{552} from *Thiobacillus ferrooxidans* 15
Haraguchi, H., see Hu, W. 231
Harden, C.S., see Davis, D.M. 263
Hart, R.J., see McDonald, I. 237
He, F.
—, Geng, Q., Zhu, W., Nie, L., Yao, S. and Meifeng, C.
Rapid detection of *Escherichia coli* using a separated electrode piezoelectric crystal sensor 313
Högfeldt, E.
Regular mixtures 259
Hoshi, T.
—, Anzai, J.-i. and Osa, T.
Electrochemical deposition of avidin on the surface of a platinum electrode for enzyme sensor applications 321
Hu, W.
— and Haraguchi, H.
Direct determination of sodium, potassium, magnesium, and calcium ions in human saliva by ion chromatography using a taurine-conjugated bile salt micelle-coated stationary phase 231
Huang, Z.F., see Ma, Y.L. 21
Hwang, C.-j.
— and Jiang, S.-J.
Determination of arsenic compounds in water samples by liquid chromatography–inductively coupled plasma mass spectrometry with an in situ nebulizer–hydride generator 205

Ibrahim, M.S., see Ahmed, Z.A. 329
Inerowicz, H.D.
—, Chandrasekhar, T.M., Atkinson, G. and White, R.L.
Comparison of structure-thermal property relationships for barium bis(1,1,1,5,5,5-hexafluoro-2,4-pentanedionate) polyether complexes 249

Jen, J.-F.
— and Yang, S.-M.
Simultaneous speciation determination of vanadium(IV) and vanadium(V) as EDTA complexes by liquid chromatography with UV detection 97
Jenkins, T.F.
—, Miyares, P.H., Myers, K.F., McCormick, E.F. and Strong, A.B.
Comparison of solid phase extraction with salting-out solvent extraction for preconcentration of nitroaromatic and nitramine explosives from water 69
Jiang, S.-J., see Hwang, C.-j. 205
Jin, W., see Zhao, X. 163

Kamal, M.M., see Ahmed, Z.A. 329
Kamo, N., see Kurosawa, S. 307
Kanapienienė, J., see Razumas, V. 155
Karube, I., see Mitsubayashi, K. 27
Katerkamp, A., see Wortberg, M. 177
Kojło, A., see Michałowski, J. 339
Koupparis, M.A., see Sideris, E.E. 87
Krause, J., see Wortberg, M. 177
Kurosawa, S.
—, Nemoto, E., Muratsugu, M., Yoshimoto, M., Mori, Y. and Kamo, N.
Detection of actomyosin depolymerization with a piezoelectric quartz crystal 307

Lan, W.G., see Wan, H.B. 371
Larsson, K., see Razumas, V. 155
Laserna, J.J.
—, Calvo, N. and Cabalín, L.M.
Imaging and space-resolved spectroscopy in the Xe–Cl laser ablation of noble metals with charge-coupled device detection 113
Lendl, B.
—, Ríos, A., Valcárcel, M. and Grasserbauer, M.
Automatic study of selectivity by the flow-rate gradient technique 187
Li, S.
— and Mottola, H.A.
Continuous-flow determination of relative diffusion coefficients of iron complexes with ligands of the 1,10-phenanthroline family and with 3-(2-pyridyl)-5,6-diphenyl-1,2,4-triazine in acetonitrile–water solutions 79
Li, Y.
— and Narusawa, Y.
Zone circulating flow-injection analysis: theory 355
Liebau, A., see Hahn, M. 35
Liu, H.
— and Dasgupta, P.K.
Dual-wavelength photometry with light emitting diodes. Compensation of refractive index and turbidity effects in flow-injection analysis 347
Lu, L., see Zhao, M. 121

Ma, Y.L.
—, Galal, A., Zimmer, H., Mark, Jr., H.B., Huang, Z.F. and Bishop, P.L.
Potentiometric selective determination of hydrogen sulfide by an electropolymerized membrane electrode based on binaphthyl-20-crown-6 21
Macheras, P.E., see Sideris, E.E. 87
Magnuszewska, B., see Michałowski, J. 339
Mailley, P., see Coche-Guérente, L. 143
Mark, Jr., H.B., see Ma, Y.L. 21
McCormick, E.F., see Jenkins, T.F. 69

McDonald, I.
—, Hart, R.J. and Tredoux, M.
Determination of the platinum-group elements in South African kimberlites by nickel sulphide fire-assay and neutron activation analysis 237
Meifeng, C., see He, F. 313
Michałowski, J.
—, Kojło, A., Magnuszewska, B. and Trojanowicz, M.
Flow-injection biamperometry of phenothiazine derivatives 339
Middendorf, C., see Wortberg, M. 177
Mirón, G., see Capitán-Vallvey, L.F. 365
Mitsubayashi, K.
—, Suzuki, M., Tamiya, E. and Karube, I.
Analysis of metabolites in sweat as a measure of physical condition 27
Miyares, P.H., see Jenkins, T.F. 69
Mlakar, M., see Zelić, M. 299
Mok, C.Y., see Wan, H.B. 371
Mori, Y., see Kurosawa, S. 307
Mottola, H.A., see Li, S. 79
Moutet, J.-C., see Coche-Guérente, L. 143
Mukai, H., see Zeng, Y. 195
Muratsugu, M., see Kurosawa, S. 307
Murthy, A.S.N.
— and Gupta, A.R.L.
NADH sensor with electrochemically modified TCNQ electrode 43
Myers, K.F., see Jenkins, T.F. 69

Nakamura, H., see Fukushima, M. 223
Narusawa, Y., see Li, Y. 355
Nemoto, E., see Kurosawa, S. 307
Nie, L., see He, F. 313
Nie, L., see Yao, S. 47
Nojiri, Y., see Zeng, Y. 195
Nunzi, F., see Haladjian, J. 15
Nylander, T., see Razumas, V. 155

Osa, T., see Hoshi, T. 321

Pedrazza, U., see Eugster, R. 1
Pratt, K.W.
Automated, high-precision coulometric titrimetry. Part I. Engineering and implementation 125
Pratt, K.W.
Automated, high-precision coulometric titrimetry. Part II. Strong and weak acids and bases 135

Razumas, V.
—, Kanapienienė, J., Nylander, T., Engström, S. and Larsson, K.
Electrochemical biosensors for glucose, lactate, urea, and creatinine based on enzymes entrapped in a cubic liquid crystalline phase 155
Ríos, A., see Lendl, B. 187
Rosatzin, T., see Eugster, R. 1
Rüegg, D., see Eugster, R. 1
Rump, T., see Wortberg, M. 177
Rusterholz, B., see Eugster, R. 1
Rüttinger, H.H., see Hahn, M. 35

Schmid, A., see Eugster, R. 1
Shoff, D.B., see Davis, D.M. 263
Sideris, E.E.
—, Georgiou, C.A., Koupparis, M.A. and Macheras, P.E.
Automated flow-injection serial dynamic dialysis technique in the study of drug binding with cyclodextrins 87
Simon, W., see Eugster, R. 1
Spichiger, U.E., see Eugster, R. 1
Strong, A.B., see Jenkins, T.F. 69
Suzuki, M., see Mitsubayashi, K. 27

Taga, M., see Fukushima, M. 223
Tamiya, E., see Mitsubayashi, K. 27
Temerk, Y.M., see Ahmed, Z.A. 329
Thamm, R., see Hahn, M. 35
Thomas, R.N.
Effects of contaminants and charge transfer on the molar absorptivities of fullerene solutions 57
Tivesten, A., see Csapó, J. 105
Tredoux, M., see McDonald, I. 237
Trojanowicz, M., see Michałowski, J. 339
Tuñón-Blanco, P., see Amez del Pozo, J. 169

Valcárcel, M., see Lendl, B. 187
Valencia, M.C., see Capitán-Vallvey, L.F. 365
Van den Berg, C.M.G., see Zima, J. 291

Wan, H.B.
—, Lan, W.G., Wong, M.K. and Mok, C.Y.
Orthogonal array designs for the optimization of liquid chromatographic analysis of pesticides 371
Wang, F., see Zhao, X. 163
White, R.L., see Inerowicz, H.D. 249
Wong, M.K., see Wan, H.B. 371
Wortberg, M.
—, Middendorf, C., Katerkamp, A., Rump, T., Krause, J. and Cammann, K.
Flow-injection immunosensor for triazine herbicides using Eu(III) chelate label fluorescence detection 177

Yang, S.-M., see Jen, J.-F. 97
Yao, S.
—, Chen, K. and Nie, L.
Application of a surface acoustic wave sensor system for the detection of non-aqueous solutions and phase transitions in lipid multibilayers 47
Yao, S., see He, F. 313
Yoshimoto, M., see Kurosawa, S. 307

Zelić, M.
—, Mlakar, M. and Branica, M.

Influence of perchlorates and halides on the electrochemical properties of indium(III) 299
Zeng, Y.
—, Mukai, H., Bandow, H. and Nojiri, Y.
Application of gas chromatography–combustion–isotope ratio mass spectrometry to carbon isotopic analysis of methane and carbon monoxide in environmental samples 195
Zhao, M.
— and Lu, L.
Abolition of the equivalent. Rule of equal amount of substance 121
Zhao, X.
—, Jin, W., Chen, J., Gao, Z. and Wang, F.
Investigations on bioanalytical chemistry. Part V. Adsorption voltammetry of adenine 163
Zhu, W., see He, F. 313
Zima, J.
— and Van den Berg, C.M.G.
Determination of arsenic in sea water by cathodic stripping voltammetry in the presence of pyrrolidine dithiocarbamate 291
Zimmer, H., see Ma, Y.L. 21